

TENDER NOTICE

INTERNATIONAL ISLAMIC UNIVERSITY ISLAMABAD (IIUI) invites sealed bids from the *original manufacturers/authorized distributors* (With Valid Authorization/Distribution Certificate)/*suppliers* registered with Income Tax and Sales Tax Departments and who are on Active Taxpayers List of the Federal Board of Revenue for supply of "**Equipment for SA-CIRBS**".

2. Bidding documents, containing detailed terms and conditions, etc. are available at **PPRA and IIUI website(s)** and can also be downloaded from www.iiu.edu.pk and www.ppra.org.pk. Price of the bidding documents is **Rs.1,000/- (Non-refundable)** in shape of Pay Order/Call Deposit/Bank Draft in favor of IIUI.

3. The bids, prepared in accordance with the instructions in the bidding documents, must reach on or before **29-04-2021 up-till 10:30 a.m** at Room No. 213, 2nd Floor, Administration Block, Sector H-10, New Campus IIUI. Bids will be opened on the same day i.e **29-04-2021 at 11:00 a.m** in the presence of the bidders/their representatives who may like to attend the opening ceremony.

4. International Islamic University Islamabad reserves the right to accept or reject any/all bid(s) in terms of Section-33 of Public Procurement Rules 2004.

Javaid Rabbani

Dy. Director (P&S)

Ph: 9019255

INTERNATIONAL ISLAMIC UNIVERSITY ISLAMABAD

Purchase & Store Section, Admin Block, New Campus, Sector H-10, Islamabad.

Tel: 051-9019255 Fax: 051-9258073

No. 2/1/2021/P&S-

Sub: **Tender Document for Purchase of Equipment for SA-CIRBS**

"TERMS AND CONDITIONS"

1. Any addition, deletion or modification of any clause of the procurement terms & conditions of International Islamic University Islamabad (IIUI) by any vendor will not be acceptable and may lead to rejection of the bid.
2. Original Manufacturer/Authorized Distributors (With Valid Authorization/ Distribution Certificate)/ Suppliers registered with Income Tax, Sales Tax Department and who are on Active Taxpayers List (ATL) of FBR, are eligible to participate in tender.
3. Documents along with Pay Order/Call Deposit/Demand Draft amounting to **Rs.1,000/-** as a tender documents fee (Non-Refundable) shall be submitted in favor of International Islamic University, Islamabad, to the address given below.
4. Part/ Advance payments is not allowed.
5. The exact completion/delivery time from the date of the purchase/ work order will be maximum **120 days**. The handing over/ completion time is of critical importance.
6. After opening of bids, International Islamic University Islamabad will examine the bids for completeness as per tender document.
7. Purchase order(s) will be awarded to the lowest evaluated OR technically recommended bidder(s) on the basis of item wise/ subtotal wise/ grand total wise according to the nature of BoQs/Compatibility requirements.
8. International Islamic University Islamabad, will follow the PPRA rule of **Single Stage One Envelope procedure**:
9. Bidders cannot challenge the findings of the evaluation or ask for reason of disqualification.
10. The bid should be submitted in a sealed envelope up to **29-04-2021** on or before **10:30 a.m** and will be opened on the same date **at 11:00 a.m** in the presence of available bidders.
11. The envelope should be marked as under;

Superintendent (P&S)
Room No. 213, 2nd Floor, Admin Block,
Sector H-10, New Campus
International Islamic University, Islamabad.
Tel: 051-9019255
12. The envelope shall also bear the word "**CONFIDENTIAL**" and following identification quotation for "**Purchase of Lab Equipment for SA-CIRBS**".
13. **If the vendor fails to deliver the goods to International Islamic University, Islamabad in time then the penalty will be charged as under:**
 - a. 02% per month of the total Purchase Order-value.
 - b. If the vendor fails to deliver the goods/ services during the extended period (if granted) then the purchase/ work order may be cancelled and Earnest money may be forfeited.
14. If the delivered goods/ services are not according to the required quality standards/ specifications, the same shall be liable to be rejected after inspection. The bidder/ vendor would be required to REPLACE as per requirements mentioned in our BoQs at no cost to the IIUI, otherwise the purchase/ work order will be cancelled after due date with confiscation of earnest money AND bidder will bear all cost and expenses thereof.
15. All prices should be quoted on **FOR Basis (inclusive of all applicable taxes)**
16. All prices should be valid for at least **120 days** Withdrawal or any modification of the original offer within the validity period shall entitle IIUI to forfeit the earnest money in favor of the

- IIUI and or put a ban on such vendor participation in IIUI tenders/ works.
17. It is the sole responsibility of the bidder/ agent/ supplier/ manufacturer to comply with the applicable laws, be national or international.
 18. In case of any dispute, decision of the President, IIUI will be final and binding upon the parties.
 19. The IIUI reserves the right to modify the quantities of goods/ services at any time before the award of purchase/ work order.
 20. **The bidder is required to furnish in form of "CDR" @2% (Re-fundable) of total value of the bid as Earnest Money in favor of "International Islamic University Islamabad. Any bid not accompanied by Earnest Money shall be rejected without any right of appeal.**
 21. International Islamic University Islamabad reserves the rights to accept or reject the bid if;
 - i. Received later than the date and time fixed for tender submission
 - ii. The tender is unsigned/ unstamped
 - iii. The offer is ambiguous
 - iv. The offer is conditional
 - v. Offer is made by the unauthorized agent/ supplier/service provider of the original equipment manufacturer.
 - vi. The offer is from a firm, which is black listed by any Govt. Office.
 - vii. The offer is received by telephone/telex/fax/telegram.
 - viii. Any unsigned / ambiguous erasing, cutting / overwriting etc. is made.
 - ix. The Company Profile, client list and detail of similar projects/works is not attached.
 22. Earnest Money of the successful bidder will be retained by the IIU till the completion of the warranty of the item/equipment.
 23. The bidder should furnish a **CERTIFICATE** on judicial STAMP PAPER worth Rs. 100 as worded below in token of acceptance of all the terms and conditions of the tender. Otherwise the tender will not be considered under any circumstances.

I / We

- **Company / Vendor Name:** _____
- **Postal Address:** _____
- **Tel. No:** _____ **Mob No.** _____
- **NTN# :** _____ **GST#:** _____

The undersigned certify that our above named Firm/Company is not blacklisted by any Govt. Office and the terms and conditions as contained in this document, viz "**Terms and Conditions**" are accepted unconditionally.

Sign & Stamp

Note:

1. Please quote the rates on our BoQs and clearly mention the quoted item(s) Make/ Model/ Country of Origin and Guarantee/Warranty, otherwise your bid/ items may lead to rejection.
2. The quoted item(s) should be of the same specs, make/model or their equivalent.
3. In Addition to filling of the attached BoQs, supporting literature of the quoted model must be attached for verification & technical evaluation of the required specification by the bid evaluation committee. In case of any clash found between the quoted model and the literature model, the item/bid may be rejected.
4. Please also attach the Certificate supporting being Active Taxpayer as per requirement of FBR.

BoQs for the Supply of Lab Equipment for SA-CIRBS

SR #	Items Description (Qty=01)																																														
1.	<p><u>Rotary Evaporator:</u> <u>With G1 diagonal Glassware with Extra Sample Flask, Receiving Flask and Condenser:</u> An operating concept that is focused on the essentials: clear and with access to the basic parameters rotation speed and heating bath temperature at any time.</p> <p>Description:</p> <ul style="list-style-type: none"> • Clear digital display showing actual and set values • Two separate knobs with dynamic control for setting the rotation speed and heating bath temperature: fast turning for large jumps, slow turning for precise setting of the set values • Accidental changing of the values can be prevented by the lock function • Intuitive LED ring light system makes activated functions clearly visible even from a distance • Easy adjustment of the immersion depth up to 160 mm and the inclination angle from 20° to 80° • Standby function and residual heat warning at heating bath temperatures above 50 °C • Motor lift model with G1 diagonal glassware • The standby button stops all functions and, when using a motor lift model, lifts the evaporating flask from the heating bath. <p>Technical Data:</p> <table> <tr> <td>Rotation speed indicator</td><td>3.5" LCD Display</td></tr> <tr> <td>Protection class DIN EN 60529</td><td>IP 20</td></tr> <tr> <td>Lift</td><td>Hand lift</td></tr> <tr> <td>Height adjustment speed</td><td>manual</td></tr> <tr> <td>Height adjustment</td><td>155 mm</td></tr> <tr> <td>Drive</td><td>brushless DC motor with electronic speed control</td></tr> <tr> <td>Heating capacity</td><td>1,300 W</td></tr> <tr> <td>Temp. range heating bath</td><td>20 – 210 °C</td></tr> <tr> <td>Temperature accuracy bath</td><td>±1K</td></tr> <tr> <td>Overheat protection bath</td><td>cut-off at 5 °C over set temperature via separate PT 1000</td></tr> <tr> <td>Bath temperature setting</td><td>3.5" LCD Display</td></tr> <tr> <td>Heating bath temperature control</td><td>electronic / digital</td></tr> <tr> <td>Secondary overtemp. cut off</td><td>250 °C</td></tr> <tr> <td>Material heating bath</td><td>stainless steel AISI 316L</td></tr> <tr> <td>Diameter heating bath</td><td>255 mm</td></tr> <tr> <td>Volume heating bath</td><td>4.5 l</td></tr> <tr> <td>Sample Flask</td><td>02 Nos</td></tr> <tr> <td>Receiving Flask</td><td>02 Nos</td></tr> <tr> <td>Condenser</td><td>02 Nos</td></tr> </table> <p><u>WITH Vacuum Pump for Rotary Evaporator</u> Vacuum Pump PTFE Diaphragm Chemistry Design two stage provides the advantageous combination of High Pumping Speed and low Ultimate vacuum Suitable for Rotary Evaporators, all pumping parts in contact with pumped media are made of Chemically Resistant Fluoroplastics . PTFE Diaphragms increase Reliability and Extended Operation Life. MZ1C is Equipped with a Gas ballast Valve for Continuous Condensate Purge with Built in manual Vacuum Regulator Valve with Lid Gauge for Adjustment of Pumping Speed.</p> <p><u>Technical Specification</u></p> <table> <tr> <td>Number of Head / Stages</td><td>2</td></tr> <tr> <td>Maximum Pumping Speed</td><td>0.75 m³h/0.9 m³h</td></tr> <tr> <td>Ultimate Vacuum</td><td>12 mbar</td></tr> <tr> <td>Ultimate Vacuum with Gas Ballast</td><td>20 mbar</td></tr> </table> <p>WITH PRESSURE GUAGE CONTROLLER COUNTRY OF ORIGIN ONLY EU, Japan, USA</p> <p><i>Note: Required Equipment/items must be of the same specs as mentioned above or Equivalent.</i></p>	Rotation speed indicator	3.5" LCD Display	Protection class DIN EN 60529	IP 20	Lift	Hand lift	Height adjustment speed	manual	Height adjustment	155 mm	Drive	brushless DC motor with electronic speed control	Heating capacity	1,300 W	Temp. range heating bath	20 – 210 °C	Temperature accuracy bath	±1K	Overheat protection bath	cut-off at 5 °C over set temperature via separate PT 1000	Bath temperature setting	3.5" LCD Display	Heating bath temperature control	electronic / digital	Secondary overtemp. cut off	250 °C	Material heating bath	stainless steel AISI 316L	Diameter heating bath	255 mm	Volume heating bath	4.5 l	Sample Flask	02 Nos	Receiving Flask	02 Nos	Condenser	02 Nos	Number of Head / Stages	2	Maximum Pumping Speed	0.75 m³h/0.9 m³h	Ultimate Vacuum	12 mbar	Ultimate Vacuum with Gas Ballast	20 mbar
Rotation speed indicator	3.5" LCD Display																																														
Protection class DIN EN 60529	IP 20																																														
Lift	Hand lift																																														
Height adjustment speed	manual																																														
Height adjustment	155 mm																																														
Drive	brushless DC motor with electronic speed control																																														
Heating capacity	1,300 W																																														
Temp. range heating bath	20 – 210 °C																																														
Temperature accuracy bath	±1K																																														
Overheat protection bath	cut-off at 5 °C over set temperature via separate PT 1000																																														
Bath temperature setting	3.5" LCD Display																																														
Heating bath temperature control	electronic / digital																																														
Secondary overtemp. cut off	250 °C																																														
Material heating bath	stainless steel AISI 316L																																														
Diameter heating bath	255 mm																																														
Volume heating bath	4.5 l																																														
Sample Flask	02 Nos																																														
Receiving Flask	02 Nos																																														
Condenser	02 Nos																																														
Number of Head / Stages	2																																														
Maximum Pumping Speed	0.75 m³h/0.9 m³h																																														
Ultimate Vacuum	12 mbar																																														
Ultimate Vacuum with Gas Ballast	20 mbar																																														
Unit Price with applicable taxes (Rs.): _____																																															

For any technical queries; please contact **Dr. Muhammad Riaz, PI/Head (SA-CIRBS),**
Phone No. 9019721/9019937 or Email: mrizaz@iiu.edu.pk