TENDER NOTICE

INTERNATIONAL ISLAMIC UNIVERSITY ISLAMABAD invites sealed bids from the original manufacturers / authorized distributors / suppliers registered with Income Tax and Sales Tax Departments and who are on Active Taxpayers List of the Federal Board of Revenue for supply of Sound System for Allama Iqbal Auditorium, Old Campus, IIUI.

- 2. Bidding documents, containing detailed terms and conditions, etc. are available at Room No. 213, 2nd Floor, Administration Block, Sector H-10, New Campus International Islamic University, Islamabad. Bidding documents can also be downloaded from www.iiu.edu.pk and www.ppra.org.pk. Price of the bidding documents is Rs. 5,00/- (Non-refundable) in shape of Call Deposit/Bank Draft in favour of IIUI
- 3. The bids, prepared in accordance with the instructions in the bidding documents, must reach on or before 21-03-2017 up-till 10:30 a.m at the following address:

Room No. 213, 2nd Floor, Administration Block, Sector H-10, New Campus International Islamic University, Islamabad.

- 4. Bids will be opened on the same day i.e <u>21-03-2017 at 11:00 a.m</u> in the presence of the bidders/their representatives who may like to attend the opening ceremony.
- 5. International Islamic University Islamabad reserves the right to accept or reject any/all bid(s) in terms of Section-33 of Public Procurement Rules 2004.

Javaid Rabbani, Assistant Director Purchase & Store Section Ph: 051-9019255

INTERNATIONAL ISLAMIC UNIVERSITY ISLAMABAD (Purchase & Stores Section)

4/13/2017/P&S-	(Furchase & Stores Section)		Dated:	
11/15/2017/1 (45	- 1	100	, , , , , , , , , , , , , , , , , , , ,	
M/s	e			

SUBJECT: Tender Documents for Sound System for Allama Iqbal Auditorioum, Old Campus. IIUI

Dear M/s,

You are invited to submit tender for supply of subject items in accordance with the specifications enclosed at Annex-I

- 2. Sealed tenders valid for a period of 04 months along with Earnest Money @ 02% of the total value of tender in shape of Call Deposit/Bank Draft in the name of "International Islamic University, Islamabad" must reach the undersigned on or before 21-03-2017 at 10:30 A. M. The tenders will be opened on the same day at 11:00 A. M. in the presence of the bidders/their representatives who may like to attend the opening.
- 3. Tenders received after the due date and time will not be entertained.
- 4. Amendments/alteration/cutting and overwriting etc. in the tender must be signed in full by the person who has signed the tender. Changes or revisions in rates after the opening of tender will not be allowed.
- 5. Tenders must be in a sealed cover and on the envelope, it must be written in bold letters "TENDER FOR SUPPLY OF SOUND SYSTEM FOR ALLAMA IQBAL AUDITORIUM, OLD CAMPUS, IIUI" to be opened on 21-03-2017 & should be sent in the name of Assistant Director-II (P&S), Room # 213, 2nd Floor Administration Block, Sector H-10 International Islamic University, Islamabad.
- 6. The General Sales Tax Registration No. issued by the Sales Tax Department must be quoted in the bid, otherwise, tender shall not be considered.
- 7. Bid (s) without required earnest money or for lesser amount will be rejected as non-responsive.
- 8. The successful bidder shall have to supply the required items on F.O.R basis strictly within the stipulated period mentioned in the Supply Order otherwise Earnest Money will be forfeited.
- 9. Rates should be quoted on Company's Letter Head as per format given at Annex-I.
- 10. The Earnest Money of the successful bidder will be retained by the IIU up-till the successful completion of the Warranty Period of supplies.

11. The University reserves the right to reject all bids in terms of Section-33 of Public Procurement Rules, 2004.

(Javaid Rabbani) Assistant Director-II (P&S) 051-9019255

S.No.	Item	Specification	Quantity	Rate	Amount
1	Mixing Amplifier	240 W-Mixing Amplifier, A 2 zone mixer amplifier with 9 inputs, suitable for 100V line commercial audio systems as well as low impedance sound systems using 8R loudspeakers with flexible features such as ducking, priority paging and voice activated emergency override. An integral 24Vdc battery charger trickle charges a back-up battery which could then power the amplifier in the event of a mains failure. Up to 8 call stations daisy chained using Cat5 cable 6 low noise balanced inputs for mic or line 3 line inputs with input selectors & volume control 100V input, telephone & call station input with priority & vox Separate tone control for mic inputs & music inputs RJ45 connection for remote wall plate Built-in chime for announcements Zone labelling and setting indicator pins Smart equalizing, Speech and music tone control 230Vac and 24Vdc operation, Battery charger built-in LED VU Meter 19" rack mount brackets included (2U rack size) Dimensions (HxWxD): 100x430x270mm Power output: 240W	1		

M.NBing.

, sederit	4	Cordless	The MW1-HTX-F1 and MW1-HTX-F2 wireless handheld microphones are part of the Bosch wireless microphone system. The complete system consists of a microphone receiver (MW1-RX-F1 or MW1-RX-F2), a wireless handheld microphone (MW1-HTX-F1 or MW1- HTX-F2) or a wireless belt-pack transmitter with clipon lavaller microphone (MW1-LTX-F1 and MW1-LTXF2). The products are sold separately to offer optimal flexibility in the composition of a system.	1	·	
	5	Column Speakers	Coloumn Speaker 24w, Transformer Power Tappings: Frequency Response Min: 165Hz Frequency Response Max: 16kHz External Height: External Width: 151mm External Depth: 129mm Product Range: Sound Level SPL: 96 dB Operating Temperature Min: -15 °C Weight: 5.5 kg Power Rating: 24 W Input Voltage: 100 V Power Max: 36 Operating Temperature Max: 55 °C Impedance: 417 ohm Colour: White External Length / Height: 841 mm	8		

P. Nisa

1					
2	Table Stand Mics	Table Stand Mic, Stylish tabletop unidirectional condenser microphone on a flexible, The PTT-key (press-to-talk), not only switches on the microphone, but also provides priority contacts, that are compatible with the Plena range of amplifiers. The switching characteristic of the PTT-key can be configured internally for PTT-mode (on as long as pressed) or toggle-mode (press to switch on, press again to switch off). It is equipped with a fixed, flexible 2 m cable and a 5-pin DIN connector for the balanced signal and the priority contacts. If the priority contacts are not required, the microphone can be connected to amplifiers with 3-pin XLR-inputs, using the DIN to XLR Phantom powered by amplifier Momentary or toggle PTT-key for calls with priority contact Green LED, indicating microphone active Stable metal base design with fixed 2 m cable and lockable DIN connector Separate DIN to XLR adapter	4		
3	Resturm Mics	Resturm Mic, u Unidirectional condenser microphone Flexible stem Phantom powered by amplifier On/off sliding switch with priority contact Supplied with fixed 2 m (78 in) cable and lockable DIN connector, The flexible stem base has a screw fitting, and the microphone comes with a multi-thread adaptor (3/8", 1/2", and 5/8") for mounting onto floor-stands, lecterns, panels or desktops. The microphone runs off the phantom power supply from the amplifier to which it is connected. The on-off sliding switch, not only switches on the microphone, but also provides priority contacts for remote control switching purposes. If the priority contacts are not required, the microphone can be connected to amplifiers with 3-pin XLR-inputs, using the DIN to XLR adapter.	1		

A. Nismy

Please give all the available technical details of the items offered by you, apported with the technical literature, brochure, drawings and pictures, client list details, warranty, authorization certificates, etc.

For any further technical query, please contact with Engr. Muhammad Nisar, Dy. Director (Electrical), IIUI at his office telephone # 051-9019444, 051-9257975

UNDERTAKING By M/S

We / I hereby confirmed having read and understood the terms and conditions of the tender and we / I expressly confirm and agree that our tender for the supply of above mentioned item (s) is in accordance with the terms & conditions of Tender Documents.

		A	
ed Contact Po	erson:		
Ē		8	
			*
	NTN No.		
	Fax No.		_
	Mobile:		_
	SEA	L:	
	ed Contact Po	ed Contact Person: NTN No Fax No. Mobile:	Fax No Mobile: